1. Originator	2. Log Date:	3. CCR #:	4. Rev:	5. Tel:	6. Rm #:	7. Dept.
Evan Winston	29 NOV 00	00-1112	—	301.925.0348	2013	DEV/CO

8. CCR Title: Test Executable 5B.06_CLS.01 to all sites. Provides fixes for SMC to User Registration via EOSDIS User Reg. web page.

9. Originator Signature/Date	10. Class	11. Type:	12. Need Date: 29NOV2000
[signature] 11/29/00	II	CCR	

13. Office Manager Signature/Date	14. Category of Change:	15. Priority: (If "Emergency" fill in Block 28).
[signature] for Tim Ortiz 11/29/00	Update ECS Baseline Doc.	Emergency

16. Documentation/Drawings Impacted:	17. Schedule Impact:	18. CI(s) Affected:CLS
N/A	N/A	

19. Release Affected by this Change:	20. Date due to Customer:	21. Estimated Cost:
5B		None - Under 100K

22. Source Reference: ☒NCR (attach) ☐Action Item ☐Tech Ref. ☐GSFC ☐Other:
NCRs: 28774,28964.

23. Problem: (use additional Sheets if necessary)
Fixes for the listed NCRs requested by EDC.
NCR to be fixed by this merge:
    ECSed28964: Default changed from GSF to EDC as Home DAAC.
    ECSed28774: User Registration via EOSDIS User Reg. web page does not work as needed. EDC is not able to use the web page to register users. User services can not register users without using labor intensive manual workarounds. JDT users are ready to get registered via JPL.

24. Proposed Solution: (use additional sheets if necessary)
Test Executable 5B.06_CLS.01 will provide fixes to the NCRs listed above. TE can be loaded on top of 5B.06 installations. Needs to be installed at the SMC.

25. Alternate Solution: (use additional sheets if necessary)
Take no action now and wait until 5B.07 is available at the DAACs.

26. Consequences if Change(s) are not approved: (use additional sheets if necessary)
DAACs must continue to work around the problems and/or modify operating procedures.

27. Justification for Emergency (If Block 15 is "Emergency"):
Resolves DAAC operational problems and many of the NCRs are on the priority list..

28. Site(s) Affected: ☐EDF ☒PVC ☒VATC ☒EDC ☒GSFC ☒LaRC ☒NSIDC ☒SMC ☐AK ☐JPL
☐EOC ☐IDG Test Cell ☐Other

29. Board Comments:	30. Work Assigned To:	31. CCR Closed Date:

32. EDF/SCDV CCB Chair (Sign/Date):	Disposition: (Approved) App/Com. Disapproved Withdraw Fwd/ESDIS ERB
[signature] 11/29/00	Fwd/ECS

33. M&O CCB Chair (Sign/Date):	Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB
[signature] 11/29/00	Fwd/ECS

34. ECS CCB Chair (Sign/Date):	Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB
	Fwd/ESDIS

CCR #: ○ ♭- 1\1 Rev: ‿ **Originator:** Evan Winston

Telephone: 301.925.0348   **Office:** DEV/CO

EWN 11/29/00

Title of Change: Test Executable 5B.06_CLS.01 to all sites. Provides fixes for SMC, ~~EBO~~ for User Registration via EOSDIS User Reg. web page.

CM: PLEASE, build Sun TAR file for the listed files from current 5B baseline and provide to the SMC.

.EcClINTFCSVR.pkg
.EcClUserRegistration.pkg

SMC: Receive the TAR file and make available to the DAACs, PVC and VATC.

DAAC Install Instructions:
TE can be loaded on top of CLS installations of 5B.06.
 Required for SMC, other sites optional.

1. Get TAR Files from SMC distribution;

2. UNTAR the files and copy to the staging area.

3. At the SMC check the site map for css03 and make sure the .EcClINTFCSRV.pkg is included. If not, add this pkg by modifing the site map by hand. NOTE: that the .EcClUserRegistration.pkg should also be included for css03.

4. On the CSS host (or any SUN host) use the ECS Assistant SubSystem Manager to perform the installation of the CLS package

Select the host on which CLS is installed.
Expand the host, CLS, and EcCl icons to display a list of packages.
Holding the <Shift> key down, select the packages .EcClINTFCSVR.pkg and .EcClUserRegistration.pkg.
The following reflects the detailed steps:
   a. Select the Mode to be installed
   b. Enter the location of the staged files
   c. Select CUSTOM and Click Next
   d. Select the "Subsystem" entry in the "Sort By" box.
   e. Expand the tree down by the CLS icon and then by the EcCl icon.
   f. Holding the <shift> key down; select the .EcClINTFCSVR.pkg and the .EcClUserRegistration.pkg packages and Click
Next.
   g. Select Install as the Installation Phase and Click Next
   h. Select STAGE as the Source File Location . Click Next
   i. Review the packages and hosts as displayed to ensure that they are going to be installed appropriately. Click Next
   j. Click COMM and ensure all CLS Sun hosts turn green, signaling they are communicating with ECS E.A.S.I.
   k. Click INSTALL and monitor each host. Ensure each CLS Sun host turns green signaling a successful installation.

NOTE: The following steps apply if the Netscape Servers are not or have not been installed:!!!!!!!!!!!!

 Replace all occurrences of the string <MODE> with the mode into which you are performing the installation i.e. TS1, TS2 or OPS. Replace all occurrences of <stage_directory_location> with the path name of the staging directory provided to you by the installation lead. Replace all occurrences of <server_manager> with the UNIX account name that is used to run your servers. Normally this is "cmshared" or "allmode". Replace all occurrences of <mode> with the mode name in lower case letters into which you are performing the installation

ORIGINAL

5. CONFIGURATION:
Verify that the Netscape Servers have been installed and configured for this <MODE>:

```
cd /usr/ecs/OPS/COTS/ns-home/https-<SERVER_NAME>_CLS_<MODE>/config
grep ecs  obj.conf

cd /usr/ecs/OPS/COTS/ns-home/https-<SERVER_NAME>_ODFRM_<MODE>/config
```

____ a) If the obj.conf files contain new ECS- and mode-specific information, execute the following instructions (these steps must be performed as the UNIX superuser):

Move the obj.conf file to the location needed by the Netscape Server:

```
cd /usr/ecs/<MODE>/CUSTOM/WWW/CLS/config
cp  obj.conf /usr/ecs/OPS/COTS/ns-home/https-<SERVER_NAME>_CLS_<MODE>/config/obj.conf

cd /usr/ecs/<MODE>/CUSTOM/WWW/CLS/ODFRM/config
cp  obj.conf /usr/ecs/OPS/COTS/ns-home/https-<SERVER_NAME>_ODFRM_<MODE>/config/obj.conf
```

where:
<MODE> is the current mode (OPS, TS1, TS2 or TS3)
<SERVER_NAME> is the host name of the primary CLS server

6. START SERVERS:
____ a) Verify that SHARED mode subagent configuration files exist before starting any servers.
____ b) For the initial startup, login as the <server_manager>. Change directory to the /usr/ecs/< MODE>/CUSTOM/utilities directory and start each server using the appropriate start script. For example, to start the User Profile Gateway, use the EcClDtUserProfileGatewayStart script
____ c) Use Whazzup to monitor server status.
VERIFICATION
____ a) Verify that the server(s) stay up for at least one minute.
____ b) Check the server logs for any error messages indicating that the startup may have failed.

CM01AJA00